




FLOODLIGHT ESSENTIAL



IP65
IP44

4099854429576
4099854429651
4099854429675
4099854429835
4099854429958
4099854430015


	EAN	W	lm light source	lm output	K	° (°C)	V~	mA	Hz	DF	▽ (°)	
FL ESSENTIAL 100W 840 BK	4099854429576	100	11500	10000	4000	-20...+40	220- 240	450	50/60	>0.9	110	12500
FL ESSENTIAL 150W 840 BK	4099854429651	150	17000	15000	4000	-20...+40	220- 240	675	50/60	>0.9	110	12500
FL ESSENTIAL 200W 840 BK	4099854429675	200	22500	20000	4000	-20...+40	220- 240	900	50/60	>0.9	110	12500
FL ESSENTIAL SENSOR 100W 840 BK	4099854429835	100	11500	10000	4000	-20...+40	220- 240	450	50/60	>0.9	110	12500
FL ESSENTIAL SENSOR 150W 840 BK	4099854429958	150	17000	15000	4000	-20...+40	220- 240	675	50/60	>0.9	110	12500
FL ESSENTIAL SENSOR 200W 840 BK	4099854430015	200	22500	20000	4000	-20...+40	220- 240	900	50/60	>0.9	110	12500

1x 

1000 g
4099854429576

1540 g
4099854429651

2160 g
4099854429675

1x 


1040 g
4099854429835

1580 g
4099854429958

1x 

2170 g
4099854430015


mm



W L H H2


	L	W	H		L	W	H2
4099854429576	270	30	222	4099854429835	270	45	272
4099854429651	337	31	263	4099854429958	337	45	310
4099854429675	402	31	291	4099854430015	402	45	341

1




ON OFF

2




D


	D
100W	140-170mm
150W	170-200mm
200W	200-230mm





3



4



4099854429835
4099854429958
4099854430015



7

230V~

	C10A	B16A	C16A
	21	29	34
	14	19	23
	10	14	17

mm	A	B	C			m ²
100W	170	140	6	2x M8		0.0368 m ²
150W	200	170	8	2x M8		0.0546 m ²
200W	230	200	8	2x M8		0.0748 m ²

8

FLOODLIGHT ESSENTIAL SENSOR

10s-10min
ON → OFF

TIME SENS LUX

5-500lux

6m ± 2m

4099854429835
4099854429958
4099854430015

