Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 19/05/2022 Revision date: 19/05/2022 Version: 1.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name	: LEFRANC BOURGEOIS CERAMIC COLOURS P1
Product group	: Trade product
Other means of identification	: WHITE (UFI JYES-MK1R-200M-3HHK), SKY BLUE (UFI S9FS-MKTA-900K-RVUU), KING
	BLUE (UFI 6GFS-NK63-W00K-2K0Y), LEMON YELLOW (UFI XAGS-QK32-Y00H-PYUM),
	GOLDEN YELLOW (UFI GHGS-QKFV-K00H-0P0R)

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Intended for general public Main use category Use of the substance/mixture

Consumer useArtists', craft and hobby paints

Supplier

COLART UK LTD

DY11 7JN Kidderminster - Worcestershire

Goldthorn Road

United Kingdom

Manufacturer

Colart France

Le Mans

France

T +44 (0) 2084243200

r.enquiries@colart.co.uk

r.enquiries@colart.co.uk

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Supplier

COLART EUROPE SAS SAS 5 rue René Panhard 72021 Le Mans Cedex 2 72021 LeMans France T +44 208 424 3270 r.enquiries@colart.co.uk Other

Colart International Holdings LTD The MediaWorks Building 191 Wood Lane GB– W12 7FP London – London United Kingdom T 02084243200 r.enguiries@colart.co.uk

1.4. Emergency telephone number

Emergency number

: +33 2 43 83 83 00 (Monday- Thursday: 8:00-12:00 13:30-16:00 , Friday: 8:00-12:00 CET Language French); (+44) 2084243200 Monday-Friday: 9:00-17:00 GMT Language English)

Zone Industrielle Nord 5 Rue René Panhard, +33 2 43 83 83 00

Country	Organisation/Company	Address	Emergency number	Comment
Ireland	National Poisons Information Centre Beaumont Hospital	PO Box 1297 Beaumont Road 9 Dublin	+353 1 809 2566 (Healthcare professionals- 24/7) +353 1 809 2166 (public, 8am - 10pm, 7/7)	
United Kingdom	National Poisons Information Service (Birmingham Centre) City Hospital	Dudley Road B18 7QH Birmingham	0344 892 0111	

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP] Flammable liquids, Category 3

H226

1/11

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Specific target organ toxicity — Single exposure, Category 3, Narcosis	H336
Specific target organ toxicity — Repeated exposure, Category 1	H372
Hazardous to the aquatic environment — Chronic Hazard, Category 3	H412
Full text of H- and EUH-statements: see section 16	

Adverse physicochemical, human health and environmental effects

No additional information available

2	2.2. Label elements	

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard	pictograms	(CLP)

	GHS02 GHS07 GHS08
Signal word (CLP)	: Danger
Contains	 Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, < 2% aromatics, titanium dioxide; [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 μm], WHITE SPIRIT (solvent naphtha (petroleum), medium aliph), Cyclohexanone
Hazard statements (CLP)	 H226 - Flammable liquid and vapour. H336 - May cause drowsiness or dizziness. H372 - Causes damage to organs through prolonged or repeated exposure. H412 - Harmful to aquatic life with long lasting effects.
Precautionary statements (CLP)	 P102 - Keep out of reach of children. P261 - Avoid breathing vapours. P271 - Use only outdoors or in a well-ventilated area. P304+P340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. P314 - Get medical advice/attention if you feel unwell. P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.
EUH-statements	 EUH066 - Repeated exposure may cause skin dryness or cracking. EUH211 - Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.
Child-resistant fastening	: Applicable
Tactile warning	: Applicable

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, < 2% aromatics substance with a Community workplace exposure limit	CAS-No.: 64742-48-9 EC-No.: 919-857-5 EC Index-No.: 649-327-00-6 REACH-no: 01-2119463258- 33	10 – 30	Flam. Liq. 3, H226 Asp. Tox. 1, H304 STOT SE 3, H336
titanium dioxide; [in powder form containing 1 % or more of particles with aerodynamic diameter \leq 10 µm]	CAS-No.: 13463-67-7 EC-No.: 236-675-5	10 – 30	Carc. 2, H351

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
WHITE SPIRIT (solvent naphtha (petroleum), medium aliph)	CAS-No.: 64742-88-7 EC-No.: 265-191-7	10 – 30	Flam. Liq. 3, H226 Asp. Tox. 1, H304 STOT SE 3, H336 STOT RE 1, H372 Aquatic Chronic 2, H411
Cyclohexanone	CAS-No.: 108-94-1 EC-No.: 203-631-1	5 – 10	Flam. Liq. 3, H226 STOT SE 3, H336
2-pentanone oxime	CAS-No.: 623-40-5 EC-No.: 484-470-6	1 – 3	Acute Tox. 4 (Oral), H302 Eye Irrit. 2, H319 Aquatic Chronic 3, H412

Comments

: Note V(Titanium dioxide) : If the substance is to be placed on the market as fibres (with diameter < 3 µm, length > 5 µm and aspect ratio ≥ 3:1) or particles of the substance fulfilling the WHO fibre criteria or as particles with modified surface chemistry, their hazardous properties must be evaluated in accordance with Title II of this Regulation, to assess whether a higher category (Carc. 1B or 1A) and/or additional routes of exposure (oral or dermal) should be applied.

Note W(Titanium dioxide): It has been observed that the carcinogenic hazard of this substance arises when respirable dust is inhaled in quantities leading to significant impairment of particle clearance mechanisms in the lung. This note aims to describe the particular toxicity of the substance; it does not constitute a criterion for classification according to this Regulation.

Note 10(Titanium dioxide): The classification as a carcinogen by inhalation applies only to mixtures in powder form containing 1 % or more of titanium dioxide which is in the form of or incorporated in particles with aerodynamic diameter \leq 10 µm.

This mixture contains \ge 1% titanium dioxide (CAS 13463-67-7) The Annex VI classification of Titanium dioxide does not apply to this mixture according to its Note 10.

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures	
4.1. Description of first aid measures	

No additional information available

4.2. Most important symptoms and effects, both acute and delayed

No additional information available

4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

SECTION 5: Firefighting measures

5.1. Extinguishing media

No additional information available

5.2. Special hazards arising from the substance or mixture

No additional information available

5.3. Advice for firefighters

No additional information available

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 6: Accidental release measures		
6.1. Personal precautions, protective equipment	nt and emergency procedures	
6.1.1. For non-emergency personnel No additional information available		
6.1.2. For emergency responders No additional information available		
6.2. Environmental precautions		
No additional information available		
6.3. Methods and material for containment and	l cleaning up	
No additional information available		
6.4. Reference to other sections		
No additional information available		
SECTION 7: Handling and storage		
7.1. Precautions for safe handling		
No additional information available		
7.2. Conditions for safe storage, including any	incompatibilities	
No additional information available		
7.3. Specific end use(s)		
No additional information available		
SECTION 8: Exposure controls/personal protection		
8.1. Control parameters		
8.1.1 National occupational exposure and biological limit values		
Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, < 2% aromatics (64742-48-9)		
EU - Indicative Occupational Exposure Limit (IOEL)		
Local name	White spirit Type 3	

IOEL TWA [ppm]	20 ppm
IOEL STEL	290 mg/m³
IOEL STEL [ppm]	50 ppm
Remark	Skin. (Year of adoption 2007)
Regulatory reference	SCOEL Recommendations

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

No additional information available

8.2.2. Personal protection equipment

No additional information available

8.2.3. Environmental exposure controls

No additional information available

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

o.n. information on busic physical and	chemical properties
Physical state	: Liquid
Colour	: Various colours.
Appearance	: Liquid.
Odour	: characteristic.
Odour threshold	: Not available
Melting point	: Not available
Freezing point	: Not available
Boiling point	: 150 – 200 °C
Flammability	: Not available
Explosive limits	: Not available
Lower explosive limit (LEL)	: Not available
Upper explosive limit (UEL)	: Not available
Flash point	: 40 °C
Auto-ignition temperature	: > 200 °C
Decomposition temperature	: Not available
рН	: Not available
Viscosity, kinematic	: Not available
Solubility	: Not available
Partition coefficient n-octanol/water (Log Kow)	: Not available
Vapour pressure	: Not available
Vapour pressure at 50 °C	: Not available
Density	: Not available
Relative density	: 0.9 – 1.1
Relative vapour density at 20 °C	: Not available
Particle size	: Not applicable
Particle size distribution	: Not applicable
Particle shape	: Not applicable
Particle aspect ratio	: Not applicable
Particle aggregation state	: Not applicable
Particle agglomeration state	: Not applicable
Particle specific surface area	: Not applicable
Particle dustiness	Not applicable

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

VOC content

: 25.72099009 %

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 10: Stability and reactivity
10.1. Reactivity
No additional information available
10.2. Chemical stability
No additional information available
10.3. Possibility of hazardous reactions
No additional information available
10.4. Conditions to avoid
No additional information available
10.5. Incompatible materials
No additional information available
10.6. Hazardous decomposition products
No additional information available

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008		
Acute toxicity (oral):Acute toxicity (dermal):Acute toxicity (inhalation):	Not classified Not classified Not classified	
Hydrocarbons, C9-C11, n-alkanes, isoalkane	s, cyclics, < 2% aromatics (64742-48-9)	
LD50 oral rat	> 5000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity)	
LD50 dermal rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)	
LD50 dermal rabbit	≥ 3160 mg/kg bodyweight Animal: rabbit, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)	
2-pentanone oxime (623-40-5)		
LD50 oral rat	1133 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 425 (Acute Oral Toxicity: Up-and-Down Procedure)	
LC50 Inhalation - Rat [ppm]	> 295 ppm Animal: rat, Guideline: OECD Guideline 403 (Acute Inhalation Toxicity)	
WHITE SPIRIT (solvent naphtha (petroleum), medium aliph) (64742-88-7)		
LD50 oral rat	> 5000 mg/kg bodyweight Animal: rat, Guideline: EPA OTS 798.1175 (Acute Oral Toxicity), Guideline: OECD Guideline 420 (Acute Oral Toxicity - Fixed Dose Method)	
LD50 dermal rabbit	> 2000 mg/kg bodyweight Animal: rabbit, Guideline: EPA OTS 798.1100 (Acute Dermal Toxicity), Guideline: OECD Guideline 402 (Acute Dermal Toxicity)	
LC50 Inhalation - Rat	 > 5.28 mg/l air Animal: rat, Guideline: OECD Guideline 403 (Acute Inhalation Toxicity), 95% CL: 0,42 - 	
Cyclohexanone (108-94-1)		
LC50 Inhalation - Rat	> 6.2 mg/l air Animal: rat	
Skin corrosion/irritation :	Not classified	
Serious eye damage/irritation :	Not classified	
Respiratory or skin sensitisation :	Not classified	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Germ cell mutagenicity :	Not classified	
Carcinogenicity :	Not classified	
titanium dioxide; [in powder form containing	1 % or more of particles with aerodynamic diameter ≤ 10 μm] (13463-67-7)	
IARC group	2B - Possibly carcinogenic to humans	
Reproductive toxicity :	Not classified	
WHITE SPIRIT (solvent naphtha (petroleum),	medium aliph) (64742-88-7)	
NOAEL (animal/male, F0/P)	≥ 3000 mg/kg bodyweight Animal: rat, Animal sex: male	
STOT-single exposure :	May cause drowsiness or dizziness.	
Hydrocarbons, C9-C11, n-alkanes, isoalkane	s, cyclics, < 2% aromatics (64742-48-9)	
STOT-single exposure	May cause drowsiness or dizziness.	
WHITE SPIRIT (solvent naphtha (petroleum),	medium aliph) (64742-88-7)	
STOT-single exposure	May cause drowsiness or dizziness.	
Cyclohexanone (108-94-1)		
STOT-single exposure	May cause drowsiness or dizziness.	
STOT-repeated exposure :	Causes damage to organs through prolonged or repeated exposure.	
2-pentanone oxime (623-40-5)		
NOAEC (inhalation, rat, gas, 90 days)	298.9 ppm Animal: rat, Guideline: OECD Guideline 412 (Subacute Inhalation Toxicity: 28- Day Study)	
WHITE SPIRIT (solvent naphtha (petroleum), medium aliph) (64742-88-7)		
NOAEL (oral, rat, 90 days)	750 mg/kg bodyweight Animal: rat, Animal sex: female	
NOAEC (inhalation, rat, vapour, 90 days)	≥ 0.024 mg/l air Animal: rat, Guideline: OECD Guideline 412 (Subacute Inhalation Toxicity: 28-Day Study)	
STOT-repeated exposure	Causes damage to organs through prolonged or repeated exposure.	
Cyclohexanone (108-94-1)		
NOAEL (oral, rat, 90 days)	143 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90- Day Oral Toxicity in Rodents)	
Aspiration hazard :	Not classified	
11.2. Information on other hazards		

No additional information available

SECTION 12: Ecological information

12.1. Toxicity Hazardous to the aquatic environment, short-term (acute) Hazardous to the aquatic environment, long-term (chronic) **2-pentanone oxime (623-40-5)** EC50 72h - Algae [1] ≈ 54 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum) EC50 72h - Algae [2] 88 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Cyclohexanone (108-94-1)		
LC50 - Fish [1]	527 – 732 mg/l Test organisms (species): Pimephales promelas	
EC50 - Crustacea [1]	> 100 mg/l Test organisms (species): Daphnia magna	
EC50 72h - Algae [1]	 > 100 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus) 	
12.2. Persistence and degradability		
No additional information available		
12.3. Bioaccumulative potential		
No additional information available		
12.4. Mobility in soil		
No additional information available		
12.5. Results of PBT and vPvB assessment		
No additional information available		
12.6. Endocrine disrupting properties		
No additional information available		
12.7. Other adverse effects		
No additional information available		
SECTION 13: Disposal considerations		

13.1. Waste treatment methods

No additional information available

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN						
ADR	IMDG	ΙΑΤΑ	ADN			
14.1. UN number or ID nu	14.1. UN number or ID number					
UN 1263	UN 1263	UN 1263	UN 1263			
14.2. UN proper shipping	g name					
PAINT RELATED MATERIAL	PAINT	Paint	PAINT			
Transport document description						
UN 1263 PAINT RELATED MATERIAL, 3, III, (D/E)	UN 1263 PAINT, 3, III	UN 1263 Paint, 3, III	UN 1263 PAINT, 3, III			
14.3. Transport hazard class(es)						
3	3	3	3			
3						

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

ADR	IMDG	ΙΑΤΑ	ADN	
14.4. Packing group				
Ш	III	III	III	
14.5. Environmental hazards				
Dangerous for the environment: No	Dangerous for the environment: No Marine pollutant: No	Dangerous for the environment: No	Dangerous for the environment: No	
No supplementary information available				

14.6. Special precautions for user

Overland transport

Overland transport	
Classification code (ADR)	: F1
Special provisions (ADR)	: 163, 367, 650
Limited quantities (ADR)	: 51
Excepted quantities (ADR)	: E1
Packing instructions (ADR)	: P001, IBC03, LP01, R001
Special packing provisions (ADR)	: PP1
Mixed packing provisions (ADR)	: MP19
Portable tank and bulk container instructions (ADR)	: T2
Portable tank and bulk container special provisions	: TP1, TP29
(ADR)	
Tank code (ADR)	: LGBF
Vehicle for tank carriage	: FL
Transport category (ADR)	: 3
Special provisions for carriage - Packages (ADR)	: V12
Special provisions for carriage - Operation (ADR)	: S2
Hazard identification number (Kemler No.)	: 30
Orange plates	20
	30
	12(2
	1263
Tunnel restriction code (ADR)	: D/E
EAC code	•3Y
Transport by sea	
Special provisions (IMDG)	: 163, 223, 367, 955
Limited quantities (IMDG)	: 5L
Excepted quantities (IMDG)	: E1
Packing instructions (IMDG)	: P001, LP01
Special packing provisions (IMDG)	: PP1
IBC packing instructions (IMDG)	IBC03
Tank instructions (IMDG)	: T2
Tank special provisions (IMDG)	: TP1, TP29
EmS-No. (Fire)	: F-E
EmS-No. (Spillage)	: S-E
Stowage category (IMDG)	: A
Properties and observations (IMDG)	: Miscibility with water depends upon the composition.
	, , , ,
Air transport	
PCA Excepted quantities (IATA)	: E1
PCA Limited quantities (IATA)	Y344
PCA limited quantity max net quantity (IATA)	: 10L

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Inland waterway transport	
Classification code (ADN)	: F1
Special provisions (ADN)	: 163, 367, 650
Limited quantities (ADN)	: 5 L
Excepted quantities (ADN)	: E1
Equipment required (ADN)	: PP, EX, A
Ventilation (ADN)	: VE01
Number of blue cones/lights (ADN)	: 0

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

Contains no substance subject to Regulation (EU) 2019/1148 of the European Parliament and of the Council of 20 June 2019 on the marketing and use of explosives precursors.

VOC content

: 25.72099009 %

15.1.2. National regulations

France Occupational diseases		
RG 84	Conditions caused by liquid organic solvents for professional use: saturated or unsaturated aliphatic or cyclic liquid hydrocarbons and mixtures thereof; liquid halogenated hydrocarbons; nitrated derivatives of aliphatic hydrocarbons; alcohols; glycols, glycol ethers; ketones; aldehydes; aliphatic and cyclic ethers, including tetrahydrofuran; esters; dimethylformamide and dimethylacetamine; acetonitrile and propionitrile; pyridine; dimethylsulfone and dimethylsulfoxide	

Germany

Connaity		
Water hazard class (WGK)	:	WGK 3, Highly hazardous to water (Classification according to AwSV, Annex 1)
Hazardous Incident Ordinance (12. BImSchV)	:	Is not subject of the Hazardous Incident Ordinance (12. BImSchV)
Netherlands		
SZW-lijst van kankerverwekkende stoffen	:	WHITE SPIRIT (solvent naphtha (petroleum), medium aliph) is listed
SZW-lijst van mutagene stoffen	:	WHITE SPIRIT (solvent naphtha (petroleum), medium aliph) is listed
SZW-lijst van reprotoxische stoffen – Borstvoeding	:	None of the components are listed
SZW-lijst van reprotoxische stoffen –	:	None of the components are listed
Vruchtbaarheid		
SZW-lijst van reprotoxische stoffen – Ontwikkeling	:	None of the components are listed
Denmark		
Class for fire hazard	:	Class II-1
Store unit	:	5 liter
Classification remarks	:	R10 <h226;h336;h372;h412>; Emergency management guidelines for the storage of</h226;h336;h372;h412>
		flammable liquids must be followed

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Danish National Regulations	 Young people below the age of 18 years are not allowed to use the product Pregnant/breastfeeding women working with the product must not be in direct contact with the product The requirements from the Danish Working Environment Authorities regarding work with carcinogens must be followed during use and disposal
6 ()	: LK 3 - Flammable liquids : 25.72099009 %

15.2. Chemical safety assessment

No additional information available

SECTION 16: Other information

Full text of H- and EUH-statements:			
Acute Tox. 4 (Oral) Acute toxicity (oral), Category 4			
Aquatic Chronic 2 Hazardous to the aquatic environment — Chronic Hazard, Category 2			
Aquatic Chronic 3	Hazardous to the aquatic environment — Chronic Hazard, Category 3		
Asp. Tox. 1	Aspiration hazard, Category 1		
Carc. 2	Carcinogenicity, Category 2		
EUH066	Repeated exposure may cause skin dryness or cracking.		
EUH211	Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.		
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2		
Flam. Liq. 3	Flammable liquids, Category 3		
H226	Flammable liquid and vapour.		
H302 Harmful if swallowed.			
H304 May be fatal if swallowed and enters airways.			
H319	Causes serious eye irritation.		
H336	May cause drowsiness or dizziness.		
H351 Suspected of causing cancer.			
H372	Causes damage to organs through prolonged or repeated exposure.		
H411	Toxic to aquatic life with long lasting effects.		
H412	Harmful to aquatic life with long lasting effects.		
STOT RE 1	Specific target organ toxicity — Repeated exposure, Category 1		
STOT SE 3 Specific target organ toxicity — Single exposure, Category 3, Narcosis			

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Flam. Liq. 3	H226	On basis of test data
STOT SE 3	H336	Calculation method
STOT RE 1	H372	Calculation method
Aquatic Chronic 3	H412	Calculation method

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.